

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in NDR [Nashville/Davidson Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	87	51	a	13	28	a	100	46	a
Black, not Hispanic	72	43	a	32	68	a	104	48	a
Hispanic	*	*	a	*	*	a	11	5	a
Asian/Pacific Islander	*	*	a	*	0	a	*	*	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	*	a	0	0	a	*	*	a
Total	169	100	a	47	100	a	216	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by sex and age at diagnosis, 2005

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	*	*	*	*	*	*
13-14	0	0	0	0	0	0
15-24	15	9	7	15	22	10
25-34	50	30	14	30	64	30
35-44	59	35	13	28	72	33
45-54	31	18	9	19	40	19
55-64	*	*	*	*	15	7
>=65	*	*	*	*	*	*
Total	169	100	47	100	216	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by sex and exposure category, 2005

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	114	67	a	a	114	53
Injection drug use (IDU)	*	*	*	*	7	3
Male-to-male sex and IDU	*	*	a	a	*	*
Heterosexual contact	20	12	43	91	63	29
Mother with/at risk for HIV	*	*	0	0	*	*
Other/unknown	*	*	*	*	29	13
Total	169	100	47	100	216	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by race/ethnicity and exposure category, 2005

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	68	68	43	41	*	*	0	0	0	0	*	*	114	53
Injection drug use (IDU)	*	*	*	*	0	0	0	0	0	0	0	0	7	3
Male-to-male sex and IDU	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Heterosexual contact	15	15	41	39	6	55	*	*	0	0	0	0	63	29
Mother with/at risk for HIV	0	0	*	*	0	0	0	0	0	0	0	0	*	*
Other/unknown	11	11	16	15	*	*	0	0	0	0	0	0	29	13
Total	100	100	104	100	11	100	*	100	0	0	*	100	216	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by sex and tuberculosis comorbidity, 2005

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	168	99	47	100	215	100
Definitive case	*	*	0	0	*	*
Presumptive case	*	*	0	0	*	*
Total	169	100	47	100	216	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	14	29	a	6	30	a	20	29	a
Black, not Hispanic	30	63	a	14	70	a	44	65	a
Hispanic	*	*	a	0	0	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	*	a	0	0	a	*	*	a
Total	48	100	a	20	100	a	68	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	153	164	187	172	169	3,992
Females	51	47	46	46	47	923
Total	204	211	233	218	216	4,915

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	79	85	91	89	100	2,325
Black, not Hispanic	117	115	127	113	104	2,443
Hispanic	6	8	14	15	11	119
Asian/Pacific Islander	*	*	*	*	*	15
American Indian/Alaska Native	0	0	0	0	0	3
Unknown/Multiple Race	*	*	*	*	*	10
Total	204	211	233	218	216	4,915

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	69	75	81	78	87	2,062
White, not Hispanic: Female	10	10	10	11	13	263
Black, not Hispanic: Male	80	79	97	83	72	1,819
Black, not Hispanic: Female	37	36	30	30	32	624
Hispanic: Male	*	*	*	*	*	90
Hispanic: Female	*	*	*	*	*	29
Asian/Pacific Islander: Male	*	*	*	*	*	13
Asian/Pacific Islander: Female	0	0	0	0	0	2
American Indian/Alaska Native: Male	0	0	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	0	0	*	5
Unknown/Multiple Race: Female	0	0	*	*	0	5
Total	204	211	233	218	216	4,915

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	*	*	*	*	22
13-14	0	0	0	0	0	3
15-24	24	28	40	28	22	532
25-34	62	68	73	52	64	1,997
35-44	81	70	62	84	72	1,640
45-54	28	27	40	42	40	546
55-64	7	14	13	6	15	138
>=65	*	*	*	*	*	37
Total	204	211	233	218	216	4,915

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	112	108	122	107	114	2,567
Injection drug use (IDU)	19	25	18	23	7	992
Male-to-male sex and IDU	*	*	*	*	*	262
Heterosexual contact	52	56	65	60	63	818
Mother with/at risk for HIV	*	*	*	*	*	21
Other/unknown	20	19	18	21	29	255
Total	204	211	233	218	216	4,915

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	79	81	97	92	99	1,412
Females	34	32	21	24	27	423
Total	113	113	118	116	126	1,835

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

HIV (not AIDS) cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	43	43	44	46	62	814
Black, not Hispanic	64	63	66	61	59	957
Hispanic	*	*	8	8	5	53
Asian/Pacific Islander	*	*	0	*	0	8
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	*	0	3
Total	113	113	118	116	126	1,835

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2001	2002	2003	2004	2005	Cumulative cases through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	37	38	39	41	53	696
White, not Hispanic: Female	6	5	5	5	9	118
Black, not Hispanic: Male	40	37	52	47	42	672
Black, not Hispanic: Female	24	26	14	14	17	285
Hispanic: Male	0	*	*	*	*	35
Hispanic: Female	*	*	*	*	*	18
Asian/Pacific Islander: Male	*	*	0	*	0	7
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	2
Unknown/Multiple Race: Female	0	0	0	*	0	1
Total	113	113	118	116	126	1,835

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	*	0	*	9
13-14	0	0	0	0	0	1
15-24	17	21	31	23	19	290
25-34	36	37	36	28	39	761
35-44	44	34	24	44	42	534
45-54	14	12	17	16	17	186
55-64	*	9	8	*	8	48
>=65	0	0	*	*	*	6
Total	113	113	118	116	126	1,835

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	59	61	67	55	70	911
Injection drug use (IDU)	10	10	5	12	*	346
Male-to-male sex and IDU	0	0	*	*	*	59
Heterosexual contact	31	33	34	37	33	373
Mother with/at risk for HIV	0	0	*	*	*	9
Other/unknown	13	9	7	11	17	137
Total	113	113	118	116	126	1,835

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	107	132	152	135	131	2,580
Females	29	33	50	44	47	500
Total	136	165	202	179	178	3,080

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	50	64	80	68	64	1,511
Black, not Hispanic	83	94	118	103	102	1,486
Hispanic	*	*	*	8	10	66
Asian/Pacific Islander	0	0	*	0	*	7
American Indian/Alaska Native	0	0	0	0	0	3
Unknown/Multiple Race	*	*	0	0	*	7
Total	136	165	202	179	178	3,080

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	43	54	67	59	54	1,366
White, not Hispanic: Female	7	10	13	9	10	145
Black, not Hispanic: Male	61	73	83	70	67	1,147
Black, not Hispanic: Female	22	21	35	33	35	339
Hispanic: Male	*	*	*	*	*	55
Hispanic: Female	0	0	*	*	*	11
Asian/Pacific Islander: Male	0	0	*	0	*	6
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	0	0	0	*	3
Unknown/Multiple Race: Female	0	*	0	0	0	4
Total	136	165	202	179	178	3,080

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	*	*	*	13
13-14	0	0	0	0	0	0
15-24	6	7	7	8	6	131
25-34	35	38	53	40	44	1,054
35-44	60	76	85	73	70	1,265
45-54	25	32	45	42	44	472
55-64	7	7	8	7	11	106
>=65	*	5	*	*	*	39
Total	136	165	202	179	178	3,080

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	68	80	88	77	81	1,656
Injection drug use (IDU)	28	39	48	35	19	646
Male-to-male sex and IDU	7	10	9	11	*	203
Heterosexual contact	26	28	45	43	57	445
Mother with/at risk for HIV	0	0	0	*	*	12
Other/unknown	7	8	12	*	17	118
Total	136	165	202	179	178	3,080

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in NDR [Nashville/Davidson Region], by year and sex

	2001	2002	2003	2004	2005
Sex	No.	No.	No.	No.	No.
Males	2,188	2,297	2,415	2,503	2,624
Females	606	631	656	677	704
Total	2,794	2,928	3,071	3,180	3,328

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in NDR [Nashville/Davidson Region], by year and race/ethnicity

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	1,266	1,324	1,391	1,444	1,524
Black, not Hispanic	1,451	1,518	1,581	1,626	1,686
Hispanic	56	62	76	87	96
Asian/Pacific Islander	10	13	14	13	14
American Indian/Alaska Native	*	*	*	*	*
Unknown/Multiple Race	*	*	*	*	*
Total	2,794	2,928	3,071	3,180	3,328

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in NDR [Nashville/Davidson Region], by year and race/ethnicity:sex

	2001	2002	2003	2004	2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	1,098	1,152	1,213	1,261	1,334
White, not Hispanic: Female	168	172	178	183	190
Black, not Hispanic: Male	1,034	1,081	1,129	1,161	1,203
Black, not Hispanic: Female	417	437	452	465	483
Hispanic: Male	41	46	54	62	69
Hispanic: Female	15	16	22	25	27
Asian/Pacific Islander: Male	*	*	*	*	*
Asian/Pacific Islander: Female	*	*	*	*	*
American Indian/Alaska Native: Male	*	*	*	*	*
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*
Unknown/Multiple Race: Female	*	*	*	*	*
Total	2,794	2,928	3,071	3,180	3,328

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in NDR [Nashville/Davidson Region], by year and current age

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	*	*	*	*	*
15-24	17	29	49	71	90
25-34	350	392	452	492	544
35-44	1,208	1,249	1,288	1,340	1,393
45-54	927	950	959	962	987
55-64	230	244	256	248	249
>=65	53	55	57	55	52
Total	2,794	2,928	3,071	3,180	3,328

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in NDR [Nashville/Davidson Region], by year and exposure category

	2001	2002	2003	2004	2005
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	1,402	1,483	1,580	1,646	1,739
Injection drug use (IDU)	641	641	619	605	597
Male-to-male sex and IDU	143	140	144	144	137
Heterosexual contact	472	514	567	605	650
Mother with/at risk for HIV	11	11	12	14	15
Other/unknown	125	139	149	166	190
Total	2,794	2,928	3,071	3,180	3,328

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by year of death and sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	84	55	69	84	48	1,368
Females	17	22	21	25	20	219
Total	101	77	90	109	68	1,587

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by year of death and race/ethnicity

Race/ethnicity	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic	43	27	24	36	20	801
Black, not Hispanic	58	48	64	68	44	757
Hispanic	0	*	*	*	*	23
Asian/Pacific Islander	0	0	0	*	0	1
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	*	*	0	*	4
Total	101	77	90	109	68	1,587

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by year of death and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	38	21	*	30	14	728
White, not Hispanic: Female	5	6	*	6	6	73
Black, not Hispanic: Male	46	32	49	51	30	616
Black, not Hispanic: Female	12	16	15	17	14	141
Hispanic: Male	0	*	*	*	*	21
Hispanic: Female	0	0	0	*	0	2
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	*	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	*	0	0	*	2
Unknown/Multiple Race: Female	0	0	*	0	0	2
Total	101	77	90	109	68	1,587

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by year of death and age at death

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	6
13-14	0	0	0	0	0	1
15-24	*	0	0	0	0	20
25-34	23	17	8	12	9	457
35-44	40	33	41	36	23	654
45-54	25	19	30	39	16	317
55-64	8	*	*	16	15	98
>=65	*	*	*	6	5	34
Total	101	77	90	109	68	1,587

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by year of death and exposure category

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	40	27	25	41	21	828
Injection drug use (IDU)	35	25	40	37	15	395
Male-to-male sex and IDU	10	6	5	*	9	125
Heterosexual contact	13	14	12	22	18	168
Mother with/at risk for HIV	*	0	0	0	0	6
Other/unknown	*	5	8	*	5	65
Total	101	77	90	109	68	1,587

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.